ELSEVIER

Neuroscience Letters 326 (2002) 219–222

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 326

Abe, T., Takahashi, S., Fukuuchi, Y., Reduction of Alamar Blue, a novel redox indicator, is dependent on both the glycolytic and oxidative metabolism of glucose in rat cultured neurons, 179
Adamo, A.M., see Prat, M.I., 9
Affranchino, J.L., see Prat, M.I., 9
Akao, Y., Maruyama, W., Yi, H., Shamoto-Nagai, M., Youdim, M.B.H., Naoi, M., An anti-Parkinson's disease drug, *N*-propargyl-1(*R*)-aminoindan (rasagiline), enhances expression of anti-apoptotic Bcl-2 in human dopaminergic SH-SY5Y cells, 105
Akiyama, K., see Asaga, H., 129
Allery, E., see Krings, T., 46
Alsasua, A., see Pascual, D., 163
An, S.J., see Hwang, I.K., 159
Ananth, C., see Tan, C.K., 206
Aoki, K., see Zubkov, A.Y., 137
Ariza, A., see Beyer, K., 187
Asaga, H., Akiyama, K., Ohsawa, T., Ishigami, A., Increased and type II-specific expression of peptidylarginine deiminase in activated microglia but not hyperplastic astrocytes following kainic acid-evoked neurodegeneration in the rat brain, 129
Ates, M., see Schuster, J., 196

Bahner, D., Klucke, C., Kitze, B., Elitok, E., Bogumil, T., Dressel, A., Tumani, H., Weber, F., Poser, S., Bitsch, A., Interferon-beta-1b increases serum interleukin-12 p40 levels in primary progressive multiple sclerosis patients, 125
Balciuniene, J., see Emilsson, L., 56
Bani, D., see Vannucchi, M.-G., 191
Barbeito, L., see Estévez, A.G., 201
Baydas, G., Nedzvetsky, V.S., Nerush, P.A., Kirichenko, S.V., Demchenko, H.M., Reiter, R.J., A novel role for melatonin: regulation of the expression of cell adhesion molecules in the rat hippocampus and cortex, 109
Becker, L.E., see Motonaga, K., 64
Beckman, J.S., see Estévez, A.G., 201
Belizaire, R., see McNaught, K.St.P., 155
Benedikz, E., see Sennvik, K., 51
Berciano, J., see Combarros, O., 33
Berger, K., see Schulte, T., 70
Bernabei, R., see Pola, R., 171
Beyer, K., Lao, J.I., Gómez, M., Riutort, N., Latorre, P., Mate, J.L., Ariza, A., The Th1/E47cs-G apolipoprotein E (APOE) promoter allele is a risk factor for Alzheimer disease of very later onset, 187
Bitsch, A., see Bahner, D., 125
Bogumil, T., see Bahner, D., 125
Braus, D.F., see Seeger, G., 25
Brune, K., see Schuster, J., 196
Brunn, A., see Krings, T., 46

Cairns, N., see Emilsson, L., 56
Campanini, M., see Göpel, C., 21
Carlton, S.M., Coggeshall, R.E., Inflammation-induced up-regulation of neurokinin 1 receptors in rat glabrous skin, 29
Castaño, E.M., see Prat, M.I., 9
Castensson, A., see Emilsson, L., 56
Chang, S.-L., see Lin, J.-G., 17
Cheng, J.-T., see Lin, J.-G., 17
Chikuma, T., Inomata, Y., Tsuchida, K., Hojo, H., Kato, T., Effect of monensin on the levels of tachykinins and their processing enzyme activity in rat dorsal root ganglia, 89
Chowei, H., see Sasaki, N., 117
Clower, B., see Zubkov, A.Y., 137
Coggeshall, R.E., see Carlton, S.M., 29
Combarros, O., Infante, J., Llorca, J., Peña, N., Fernández-Viadero, C., Berciano, J., The myeloperoxidase gene in Alzheimer's disease: a case-control study and meta-analysis, 33
Cornwell, T.L., see Estévez, A.G., 201
Corsani, L., see Vannucchi, M.-G., 191

De Martini, D., see Pola, R., 171
Demchenko, H.M., see Baydas, G., 109
Dreeskamp, H., see Krings, T., 46
Dressel, A., see Bahner, D., 125
Dudel, J., Heckmann, M., Quantal endplate currents from newborn to adult mice and the switch from embryonic to adult channel type, 13

Elitok, E., see Bahner, D., 125
Emilsson, L., Saetre, P., Balciuniene, J., Castensson, A., Cairns, N., Jazin, E.E., Increased monoamine oxidase messenger RNA expression levels in frontal cortex of Alzheimer's disease patients, 56
Esteban, S., Moranta, D., Sastre-Coll, A., Miralles, A., García-Sevilla, J.A., Withdrawal from chronic ethanol increases the sensitivity of presynaptic 5-HT_{1A} receptors modulating serotonin and dopamine synthesis in rat brain in vivo, 121
Estévez, A.G., Kamaid, A., Thompson, J.A., Cornwell, T.L., Radi, R., Barbeito, L., Beckman, J.S., Cyclic guanosine 5′ monophosphate (GMP) prevents expression of neuronal nitric oxide synthase and apoptosis in motor neurons deprived of trophic factors in rats, 201

Fan, X., see Maeda, T., 216
Faussone-Pellegrini, M.-S., see Vannucchi, M.-G., 191
Favalli, L., Rozza, A., Frattini, P., Masoero, E., Scelsi, R., Pascale, A., Govoni, S., Ischemia-induced glutamate release in rat frontoparietal cortex after chronic alcohol and withdrawal, 183
Fernández-Viadero, C., see Combarros, O., 33
Flex, A., see Pola, R., 171
Flores, A., see Manjarrez, E., 93

PII: S0304-3940(02)00600-6

Frattini, P., see Favalli, L., 183
Fujiki, N., see Morita, H., 101
Fukazawa, Y., see Maeda, T., 216
Fukuda, I., see Tamo, W., 5
Fukuuchi, Y., see Abe, T., 179
Furukawa, Y., see Iseki, E., 211

Gaetani, E., see Pola, R., 171
García-Sevilla, J.A., see Esteban, S., 121
Gerardino, L., see Pola, R., 171
Goicoechea, C., see Pascual, D., 163
Goldberger, U., see Seeger, G., 25
Gómez, M., see Beyer, K., 187
González, S.A., see Prat, M.I., 9
Gonzalez-Lima, F., see Zhang, X., 97
Göpel, C., Schmidt, M.H., Campanini, M., Klein, J., Breakdown of choline-containing phospholipids in rat brain during severe weight loss, 21
Goto, Y.-i., see Motonaga, K., 64
Govoni, S., see Favalli, L., 183
Griffiths, J.L., Lovick, T.A., Co-localization of 5-HT_{2A}-receptor- and GABA-immunoreactivity in neurones in the periaqueductal grey matter of the rat, 151
Guerrero, J.M., see Martínez-Cruz, F., 147
Gühring, H., see Schuster, J., 196

Hanesch, U., see Pawlak, M., 113
Hans, F.-J., see Krings, T., 46
Hayashi, Y., see Sasaki, N., 117
Heckmann, M., see Dudel, J., 13
Hishikawa, Y., see Matsumoto, Y., 133
Hojo, H., see Chikuma, T., 89
Hong, H., see Joo, C.H., 175
Hwang, I.K., Kang, T.-C., Lee, J.C., Lee, I.S., Park, S.-K., An, S.J., Jeong, Y.G., Seo, J.-G., Oh, Y.-S., Won, M.H., Age-related change of calbindin D-28k immunoreactive neurons in the rat main olfactory bulb, 159

Ikeda, H., see Sasaki, N., 117
Ikeda, M., see Prat, M.I., 9
Imaizumi, T., see Tamo, W., 5
Infante, J., see Combarros, O., 33
Inomata, Y., see Chikuma, T., 89
Isacson, O., see McNaught, K.St.P., 155
Iseki, E., Takayama, N., Furukawa, Y., Marui, W., Nakai, T., Miura, S., Uéda, K., Kosaka, K., Immunohistochemical study of synphilin-1 in brains of patients with dementia with Lewy bodies – synphilin-1 is non-specifically implicated in the formation of different neuronal cytoskeletal inclusions, 211
Ishigami, A., see Asaga, H., 129
Ito, S., see Ohta, T., 167
Itoh, M., see Motonaga, K., 64

Jackson, S., see Turner, D., 77
Jazin, E.E., see Emilsson, L., 56
Jenner, P., see McNaught, K.St.P., 155
Jeong, Y.G., see Hwang, I.K., 159
Jones, D., see Zhang, X., 97
Joo, C.H., Kim, Y.K., Lee, H., Hong, H., Yoon, S.-Y., Kim, D., Coxsackievirus B4-induced neuronal apoptosis in rat cortical cultures, 175

Kamaid, A., see Estévez, A.G., 201
Kang, J.S., see Song, M.S., 41
Kang, T.-C., see Hwang, I.K., 159
Kato, T., see Chikuma, T., 89
Kaur, C., see Tan, C.K., 206
Kikuchi, S., see Sasaki, N., 117
Kim, D., see Joo, C.H., 175
Kim, Y.K., see Joo, C.H., 175
Kirichenko, S.V., see Baydas, G., 109
Kishioka, S., see Maeda, T., 216
Kitamoto, T., see Sasaki, N., 117
Kitze, B., see Bahner, D., 125
Klein, J., see Göpel, C., 21
Klucke, C., see Bahner, D., 125
Koh, H.C., see Song, M.S., 41
Kosaka, K., see Iseki, E., 211
Krings, T., Hans, F.-J., Möller-Hartmann, W., Thiex, R., Brunn, A., Scherer, K., Stein, K.-P., Meetz, A., Dreeskamp, H., Allery, E., Thron, A., Time-of-flight-, phase contrast and contrast enhanced magnetic resonance angiography for pre-interventional determination of aneurysm size, configuration, and neck morphology in an aneurysm model in rabbits, 46
Krüger, R., see Schulte, T., 70

Lambert, D.G., see Nicol, B., 85
Lannfelt, L., see Sennvik, K., 51
Lao, J.I., see Beyer, K., 187
Latorre, P., see Beyer, K., 187
Lee, C.H., see Song, M.S., 41
Lee, H., see Joo, C.H., 175
Lee, I.S., see Hwang, I.K., 159
Lee, J.C., see Hwang, I.K., 159
Lee, S.-j., see Song, M.S., 41
Lin, J.-G., Chang, S.-L., Cheng, J.-T., Release of β-endorphin from adrenal gland to lower plasma glucose by the electroacupuncture at Zhongwan acupoint in rats, 17
Llorca, J., see Combarros, O., 33
Lovick, T.A., see Griffiths, J.L., 151

Maeda, T., Kishioka, S., Fan, X., Fukazawa, Y., Shimizu, N., Ozaki, M., Yamamoto, H., Effects of diltiazem and MK-801 on morphine analgesia and pharmacokinetics in mice, 216
Makita, Z., see Sasaki, N., 117
Manjarrez, E., Rojas-Piloni, J.G., Méndez, I., Martínez, L., Vélez, D., Vázquez, D., Flores, A., Internal stochastic resonance in the coherence between spinal and cortical neuronal ensembles in the cat, 93
Martín, M.I., see Pascual, D., 163
Martínez, L., see Manjarrez, E., 93
Martínez-Cruz, F., Guerrero, J.M., Osuna, C., Melatonin prevents the formation of pyrrolized proteins in human plasma induced by hydrogen peroxide, 147
Marui, W., see Iseki, E., 211
Maruyama, W., see Akao, Y., 105
Masoero, E., see Favalli, L., 183
Masutani, H., see Tanito, M., 142
Mate, J.L., see Beyer, K., 187
Matsubara, E., see Prat, M.I., 9
Matsumoto, Y., Mishima, K., Satoh, K., Shimizu, T., Hishikawa, Y., Physical activity increases the dissociation between subjective sleepiness and objective performance levels during extended wakefulness in human, 133
McGeer, E.G., see McGeer, P.L., 67
McGeer, P.L., Yasojima, K., McGeer, E.G., Association of interleukin-1β polymorphisms with idiopathic Parkinson's disease, 67

McNaught, K.St.P., Belizaire, R., Jenner, P., Olanow, C.W., Isacson, O., Selective loss of 20S proteasome α-subunits in the substantia nigra pars compacta in Parkinson's disease, 155
Meetz, A., see Krings, T., 46
Méndez, I., see Manjarrez, E., 93
Miralles, A., see Esteban, S., 121
Mishima, K., see Matsumoto, Y., 133
Miura, S., see Iseki, E., 211
Möller-Hartmann, W., see Krings, T., 46
Moranta, D., see Esteban, S., 121
Morelli, L., see Prat, M.I., 9
Mori, F., see Tamo, W., 5
Morita, H., Ogino, T., Seo, Y., Fujiki, N., Tanaka, K., Takamata, A., Nakamura, S., Murakami, M., Detection of hypothalamic activation by manganese ion contrasted T_1-weighted magnetic resonance imaging in rats, 101
Motonaga, K., Itoh, M., Becker, L.E., Goto, Y.-i., Takashima, S., Elevated expression of beta-site amyloid precursor protein cleaving enzyme 2 in brains of patients with Down syndrome, 64
Müller, T., see Schulte, T., 70
Murakami, M., see Morita, H., 101

Nakai, T., see Iseki, E., 211
Nakamura, H., see Tanito, M., 142
Nakamura, S., see Morita, H., 101
Nakano, N., see Sasaki, N., 117
Naoi, M., see Akao, Y., 105
Nedzvetsky, V.S., see Baydas, G., 109
Nerush, P.A., see Baydas, G., 109
Nicol, B., Rowbotham, D.J., Lambert, D.G., Nociceptin/orphanin FQ inhibits glutamate release from rat cerebellar and brain stem slices, 85
Nilsberth, C., see Sennvik, K., 51
Nitz, C., see Pawlak, M., 113

Ogihara, K., see Zubkov, A.Y., 137
Ogino, T., see Morita, H., 101
Oh, Y.-S., see Hwang, I.K., 159
Ohira, A., see Tanito, M., 142
Ohsawa, T., see Asaga, H., 129
Ohta, T., Wakade, A.R., Yonekubo, K., Ito, S., Functional relation between caffeine- and muscarine-sensitive Ca^{2+} stores and no Ca^{2+} releasing action of cyclic adenosine diphosphate-ribose in guinea-pig adrenal chromaffin cells, 167
Oka, S.-i., see Tanito, M., 142
Olanow, C.W., see McNaught, K.St.P., 155
Osuna, C., see Martínez-Cruz, F., 147
Ozaki, M., see Maeda, T., 216

Papaleo, P., see Pola, R., 171
Park, S.-K., see Hwang, I.K., 159
Partridge, L.D., Valenzuela, C.F., Neurosteroids enhance bandpass filter characteristics of the rat Schaffer collateral-to-CA1 synapse, 1
Pascale, A., see Favalli, L., 183
Pascual, D., Alsasua, A., Goicoechea, C., Martín, M.I., The involvement of 5-HT_3 and 5-HT_4 receptors in two models of gastrointestinal transit in mice, 163
Pawlak, M., Schmidt, R.F., Nitz, C., Hanesch, U., The neurokinin-2 receptor is not involved in the sensitization of primary afferents of the rat knee joint, 113
Peña, N., see Combarros, O., 33
Pola, P., see Pola, R., 171
Pola, R., Flex, A., Gaetani, E., Papaleo, P., De Martini, D., Gerardino, L., Serricchio, M., Pola, P., Bernabei, R., Association between intercellular adhesion molecule-1 E/K gene polymorphism and probable vascular dementia in humans, 171
Poser, S., see Bahner, D., 125
Prat, M.I., Adamo, A.M., González, S.A., Affranchino, J.L., Ikeda, M., Matsubara, E., Shoji, M., Smith, M.A., Castaño, E.M., Morelli, L., Presenilin 1 overexpressions in Chinese hamster ovary (CHO) cells decreases the phosphorylation of retinoblastoma protein: relevance for neurodegeneration, 9

Radi, R., see Estévez, A.G., 201
Reiter, R.J., see Baydas, G., 109
Riutort, N., see Beyer, K., 187
Rojas-Piloni, J.G., see Manjarrez, E., 93
Rowbotham, D.J., see Nicol, B., 85
Rozza, A., see Favalli, L., 183
Ruf, M., see Seeger, G., 25

Saetre, P., see Emilsson, L., 56
Saito, T., see Sasaki, N., 117
Sasaki, N., Takeuchi, M., Chowei, H., Kikuchi, S., Hayashi, Y., Nakano, N., Ikeda, H., Yamagishi, S.-i., Kitamoto, T., Saito, T., Makita, Z., Advanced glycation end products (AGE) and their receptor (RAGE) in the brain of patients with Creutzfeldt-Jakob disease with prion plaques., 117
Sastre-Coll, A., see Esteban, S., 121
Satoh, K., see Matsumoto, Y., 133
Satoh, K., see Tamo, W., 5
Scelsi, R., see Favalli, L., 183
Scherer, K., see Krings, T., 46
Schmidt, M.H., see Göpel, C., 21
Schmidt, M.H., see Seeger, G., 25
Schmidt, R.F., see Pawlak, M., 113
Schöls, L., see Schulte, T., 70
Schulte, T., Schöls, L., Müller, T., Woitalla, D., Berger, K., Krüger, R., Polymorphisms in the interleukin-1 alpha and beta genes and the risk for Parkinson's disease, 70
Schulz, H.L., Stohr, H., Weber, B.H.F., Characterization of three novel isoforms of the metabotrobic glutamate receptor 7 (GRM7), 37
Schuster, J., Ates, M., Brune, K., Gühring, H., The cannabinoids *R*(−)-7-hydroxy-delta-6-tetra-hydrocannabinol-dimethylheptyl (HU-210), 2-*O*-arachidonoylglycerylether (HU-310) and arachidonyl-2-chloroethylamide (ACEA) increase isoflurane provoked sleep duration by activation of cannabinoids 1 (CB_1)-receptors in mice, 196
Seeger, G., Braus, D.F., Ruf, M., Goldberger, U., Schmidt, M.H., Body image distortion reveals amygdala activation in patients with anorexia nervosa – a functional magnetic resonance imaging study, 25
Sennvik, K., Nilsberth, C., Stenh, C., Lannfelt, L., Benedikz, E., The Arctic Alzheimer mutation enhances sensitivity to toxic stress in human neuroblastoma cells, 51
Seo, J.-G., see Hwang, I.K., 159
Seo, Y., see Morita, H., 101
Serricchio, M., see Pola, R., 171
Shamoto-Nagai, M., see Akao, Y., 105
Shimizu, N., see Maeda, T., 216
Shimizu, T., see Matsumoto, Y., 133
Shin, I.C., see Song, M.S., 41
Shin, K.A., see Song, M.S., 41
Shoji, M., see Prat, M.I., 9
Smith, M.A., see Prat, M.I., 9

Song, M.S., Shin, K.A., Kang, J.S., Lee, C.H., Shin, I.C., Lee, S.-j., Koh, H.C., The involvement of nitric oxide on the adenosine A_2 receptor-induced cardiovascular inhibitory responses in the posterior hypothalamus of rats, 41
Stanton, P.K., see Velíšek, L., 61
Stein, K.-P., see Krings, T., 46
Stenh, C., see Sennvik, K., 51
Stohr, H., see Schulz, H.L., 37

Takahashi, H., see Tamo, W., 5
Takahashi, S., see Abe, T., 179
Takamata, A., see Morita, H., 101
Takashima, S., see Motonaga, K., 64
Takayama, N., see Iseki, E., 211
Takeuchi, M., see Sasaki, N., 117
Tamo, W., Imaizumi, T., Tanji, K., Yoshida, H., Mori, F., Yoshimoto, M., Takahashi, H., Fukuda, I., Wakabayashi, K., Satoh, K., Expression of α-synuclein, the precursor of non-amyloid β component of Alzheimer's disease amyloid, in human cerebral blood vessels, 5
Tan, C.K., Yan, J., Ananth, C., Kaur, C., Dexamethasone induces dendritic alteration but not apoptosis in the neurons of the hippocampus in postnatal rats, 206
Tanaka, K., see Morita, H., 101
Tanito, M., Masutani, H., Nakamura, H., Oka, S.-i., Ohira, A., Yodoi, J., Attenuation of retinal photooxidative damage in thioredoxin transgenic mice, 142
Tanji, K., see Tamo, W., 5
Thiex, R., see Krings, T., 46
Thompson, J.A., see Estévez, A.G., 201
Thron, A., see Krings, T., 46
Tibbs, R.E., see Zubkov, A.Y., 137
Tsuchida, K., see Chikuma, T., 89
Tumani, H., see Bahner, D., 125
Turner, D., Jackson, S., Resistive loaded breathing has a functional impact on maximal voluntary contractions in humans, 77

Uéda, K., see Iseki, E., 211

Valenzuela, C.F., see Partridge, L.D., 1
Vannucchi, M.-G., Corsani, L., Bani, D., Faussone-Pellegrini, M.-S., Myenteric neurons and interstitial cells of Cajal of mouse colon express several nitric oxide synthase isoforms, 191
Vázquez, D., see Manjarrez, E., 93
Vélez, D., see Manjarrez, E., 93
Velíšek, L., Velíšková, J., Stanton, P.K., Low-frequency stimulation of the kindling focus delays basolateral amygdala kindling in immature rats, 61
Velíšková, J., see Velíšek, L., 61
Vijverberg, H.P.M., see Westerink, R.H.S., 81

Wakabayashi, K., see Tamo, W., 5
Wakade, A.R., see Ohta, T., 167
Wang, Y., see Yang, J., 73
Weber, B.H.F., see Schulz, H.L., 37
Weber, F., see Bahner, D., 125
Westerink, R.H.S., Vijverberg, H.P.M., Toluene-induced, Ca^{2+}-dependent vesicular catecholamine release in rat PC12 cells, 81
Woitalla, D., see Schulte, T., 70
Won, M.H., see Hwang, I.K., 159

Yamagishi, S.-i., see Sasaki, N., 117
Yamamoto, H., see Maeda, T., 216
Yan, J., see Tan, C.K., 206
Yang, J., Wang, Y., Event-related potentials elicited by stimulus spatial discrepancy in humans, 73
Yasojima, K., see McGeer, P.L., 67
Yi, H., see Akao, Y., 105
Yodoi, J., see Tanito, M., 142
Yonekubo, K., see Ohta, T., 167
Yoon, S.-Y., see Joo, C.H., 175
Yoshida, H., see Tamo, W., 5
Yoshimoto, M., see Tamo, W., 5
Youdim, M.B.H., see Akao, Y., 105

Zhang, J.H., see Zubkov, A.Y., 137
Zhang, X., Jones, D., Gonzalez-Lima, F., Mouse model of optic neuropathy caused by mitochondrial complex I dysfunction, 97
Zubkov, A.Y., Tibbs, R.E., Clower, B., Ogihara, K., Aoki, K., Zhang, J.H., Morphological changes of cerebral arteries in a canine double hemorrhage model, 137